
1123Warning:- Please write your Roll No. in the space (Inter Part – I) (Session 2019-21 to 20	e provided and sign. 22-24) Sig. of	Roll No Student					
Physics (Objective) SAD-//-/->3 (Group	1)	Paper (I)					
Time Allowed:- 20 minutes PAPER CODE 2475 Maximum Marks:- 17							
Note:- You have four choices for each objective type question as a that circle in front of that question number. Use marker or pen to result in zero mark in that question. Write PAPER CODE, which Answer Sheet and fill bubbles accordingly, otherwise the student we white correcting fluid is not allowed.	A, B, C and D. The choice we fill the circles. Cutting or fill is printed on this question page.	which you think is correct; fill lling two or more circles will aper, on the both sides of the					
1) In general, the conditions for different orders of n $d \sin \theta = m \lambda$ . Here 'm' is.	ninima on either side of o	entre are given by					
(A) $\dot{m}=\pm(1,2,3,4,)$ (B) $m=\pm(0,1,2,3,4,)$ 2) The speed of light in water is		(D) m=1,3,5,7,					
(A) $2 \times 10^8 \text{ ms}^{-1}$ (B) $2.25 \times 10^8 \text{ ms}^{-1}$		(D) $3 \times 10^8 \text{ ms}^{-1}$					
<ul> <li>The change in entropy of the system is important. Th</li> <li>(A) Potential energy (B) Kinetic energy and and Kinetic energy internal energy</li> </ul>		(D) Potential energy, Kinetic energy and internal energy					
4) The percentage loss in efficiency in petrol engine is (A) 70 % to 75% (B) 60 % to 65%	(C) 25 % to 30%	(D) 35 % to 40%					
5) 73.650 and 64.350 can be rounded off as	(3) 70 0 1 (10	(D) 72 5 1 64 2					
(A) 73.7 and 64.3 (B) 73.6 and 64.4 6) A number such as 5.0×10 <sup>4</sup> cm can be expressed in	(C) 73.8 and 64.2 notation as	(D) 73.5 and 64.2					
(A) $5.0 \times 10^2$ m (B) $5.0 \times 10^6$ m	(C) $5.0 \times 10^4$ cm	(D) $5.0 \times 10^{-2}$ cm					
	FT C	7T2					
TO ACT TONI - 1 T - 20NI What is the vieles of wei	oht in the fig 65	738					
7) If $T_1=10N$ and $T_2=20N$ . What is the value of wei	ght in the fig.						
		. 1					
(A) 10N (B) 30 N (C) 1	8.66 N	W (D) 8.60 N					
8) What is the angle for which the values of cross pro-	duct of two vectors become	es half of original value.					
(A) $90^{\circ}$ (B) $60^{\circ}$	(C) 45°	(D) $30^{\circ}$					
<ul> <li>9) At which angle, the height and range of projectile</li> <li>(A) 76°</li> <li>(B) 66°</li> </ul>	e becomes equal. (C) 56°	(D) 46°					
10) When a car is moving in a circle then its							
(A) v and a are parallel (B) v and a are anti parallel	(C) v and a are perpendicular to one another						
11) What is the work done in this fig		zero					
¥ / w		(D) 05 I					
(A) 33	(0) 200						
12) A satellite of orbital velocity 7.9 kms <sup>-1</sup> is taking	(C) 84 minutes	(D) 5060 minutes					
(A) 5668 seconds (B) 84 Seconds  13) When lift is moving upward, then what is the rea	son of varying weight of						
(A) Acceleration of (B) Acceleration of system becomes more system is added in	(C) Acceleration of system is subtracted from gravity	system becomes zero					
14) The speed of efflux when fluid is falling through	the height 5m. Take g=1	0ms <sup>-2</sup>					
$(A) 0.5 \text{ ms}^{-1}$ (B) 1.0 ms '	(C) 5 ms	(D) TO HIS					
15) What is the frequency of an object vibrating at the $x = 0.25 \cos(\frac{\pi}{2}) t$	ie end of a spring, if the c	equation for its position is					
(A) $1.0 \text{ Hz}$ (B) $0.5 \text{ Hz}$	(C) 0.25 Hz	(D) 0.1 Hz					
16) Laplace consider γ for gas for 333 ms <sup>-1</sup> (A) Monoatomic (B) Diatomic	speed of sound. (C) Polyatomic	(D) Subatomic					
17) For 10°C rise in temperature, the speed of sound be	comes.	(D) 220 1 mg-1					
( )	(C) $332.1 \text{ ms}^{-1}$	(D) 338.1 ms <sup>-1</sup>					
1119 - 1123	25000 (5)	(20 3 de porto					



- 9. (a) Describe the Young's double slit experiment for demonstration of interference of light. Derive an expression for fringe spacing.
  - (b) An astronomical telescope having magnifying power of 5 consist of two thin lenses 24 cm apart. Find the focal lengths of the lenses.

1120 -- 1123 -- 25000

(Inter Part – I) (Session 2019-21 to 2022-24) Sig. of Student ————————————————————————————————————								
ics (Objective) SG	1)-11-7-72(C		Paper					
me Allowed: - 20 minutes	PADE	PCOD	E 2474		` '	32		
cote:- You have four choices for each objective type question as A, B, C and D. The choice which you think is correct; fill that circle in front of that question number. Use marker or pen to fill the circles. Cutting or filling two or more circles will Answer Sheet and fill bubbles accordingly, otherwise the student will be responsible for the situation. Use of Ink Remover or white correcting fluid is not allowed.								
					Q. 1			
<ol> <li>The shortest distance be</li> <li>(A) speed</li> </ol>	(B) Velocity		-		_			
2) The efficiency of diesel	engine is	(	C) Acceleration	(	D) Displacem	ent		
(A) 80 %	(B) 90 % to 100	<b>10</b> /2 (	C) 250/ 4 400/					
3) The diameter of milky v	vay galaxy is	)/0 (	C) 35% to 40%	(1	(D) 15%			
(A) $10^{\circ} m$	(B) $10^{30}$ m	(	C) 10 <sup>10</sup> m		20 1020			
4) Steradian is the unit of	( )	(	C) 10 III	(1	D) $10^{20}$ m			
(A) Plane angle	(B) Solid Angle	. (	C) Time	(I	D' -			
5) The unit vector is expres	ssed as	(	c) Time	(1	) Distance			
(A) $\hat{A} =  \vec{A}  \times \vec{A}$	(B) $\hat{A} = \vec{A}/ A $	(6	$\hat{A} = \bar{A} \times  \bar{A}  \times \hat{A}$	(I	$\hat{A} = A \times \tilde{A}$			
6) Turning effect of force is	s called							
(A) Momentum	(B) Acceleration		3) T					
7) The rate of change of mo	mentum is called	1 ()	C) Torque	(L	) Velocity			
(A) Force	(B) Torque		C) Time	(F	· ·			
	( ) = 3.9		-) Time	(L	) Impulse			
8) The increase in entropy	means							
(A) disintegration of	(B) degradatio	n of	(C) degradation	n of	(D) disinte	eration of		
energy	energy		mass		mass	Simmon of		
9) Biomass is a potential se					111455			
(A) Energy	(B) Non renew	able	(C) Renewable	Energy	(D) Power			
,	energy				(-)			
10) One radian is equal to								
(A) 5.73°	(B) 0.73°		(C) 57.3°		(D)	$2\pi$		
11) Moment of inertia of ho			(-)			211		
(A) $I = \frac{1}{3} \text{ mr}^2$	(B) $I = mr^2$		(C) $1 = 2/m$	.2	(D) $1 - 2/$	2		
/3	. ,		(C) $I = \frac{2}{3}$ mi		(D) $I = \frac{2}{5}$	Ш		
12) The dolphins have								
(A) streamlined bodies	(B) Turbulent l	bodies	(C) Unsteady b	odies	(D) Steady	hodies		
13) The SI units of spring co			c / Choicean, c	cuics	( ) Steady	ooules		
(A) m <sup>-1</sup>	(B) Nm <sup>-1</sup>		(C) Nm <sup>-2</sup>		(D) Nm <sup>2</sup>			
	. ,		` '		(D) 14III			
14) The CRO is a device to								
(A) Pulses	(B) Wave form		(C) Data form		(D) blank for	orm		
The distance between th	e node and adjac	cent antino	ode is					
(A) $\lambda/2$	(B) $\lambda/4$		(C) λ		(D) $\lambda/3$			
- 4			(-) 11		$(D)$ $\frac{1}{3}$			
16) Michel son's interferom			(0)		~~ \ . = ~ .			
(A) 1864	(B) 1687		(C) 1881		(D) 1786			
17) The light signals in option								
(A) Generators	(B) Repeaters		(C) Transmitter	•	(D) Transis	tors		
1	121 - 11	23 -	15000 (	2)				
		<b>4</b>	rann (	- J				

SGD-11-2-23 123 Warning:- Please, do not write anything on this question paper except your Roll No. Physics (Subjective) Group (II) (Session 2019-21 to 2022-24) Paper (I) Time Allowed: 2.40 hours Section -----I (Inter Part - I) Maximum Marks: 68 Answer briefly any Eight parts from the followings:-2.  $8 \times 2 = 16$ Why do we find it useful to have two units for the amount of substance, the kilogram and the mole? (i) Give the drawbacks to use the period of a pendulum as a time standard. (ii) Show that the equation  $v_f = v_i + at$  is dimensionally correct. (iii) Given that V=(5.2±0.1) volt. Find its percentage uncertainty. (iv) If two perpendicular vectors have same magnitudes, Find the angle between their sum and difference. (v) Define (a) position vector and (b) unit vector. (vi) Can a vector have a component greater than the vector's magnitude? (vii) (viii) Explain the circumstances in which the velocity ' $\vec{v}$ ' and acceleration ' $\vec{a}$ ' of a car are. (a) antiparallel (b)  $\vec{v}$  is zero but  $\vec{a}$  is not zero. Show that the range of projectile is maximum when projectile is thrown at an angle of 45° with the horizontal (ix) How impulse is related to linear momentum? (xi) Explain what do you understand by the term viscosity. **(x)** (xii) Prove that for angles of projection which exceed or fall short of 45° by equal amounts, the ranges are equal. Answer briefly any Eight parts from the followings:-3. A girl drops a cup from a certain height, which breaks into pieces. What energy changes are involved. (i) What sort of energy is in the following (a) compressed spring (b) water in a high dam. (ii) (iii) Prove that power is dot product of force and velocity. State the direction of the following vectors in simple situations; angular momentum and angular velocity. (iv) when mud flies off the tyre of a moving bicycle, in what direction does it fly? Explain. (v) (vi) Define artificial gravity. Give its significance. Of a mass spring system is hung vertically and set into oscillations, why does the motion eventually stop. (vii) Can we realize an ideal simple pendulum? Explain. (ix) Differentiate between free and forced oscillations? (viii) What features do longitudinal, waves have in common with transverse wave? (x) Why does sound travel faster in solids than in gases? (xi) (xii) What is doppler's Effect? Explain briefly one of its application?  $6 \times 2 = 12$ Answer briefly any Six parts from the followings:-4. Can visible light produce interference fringes? Explain. (i) How would you manage to get more orders of spectra using a diffracting grating? (ii) What is the difference between interference and diffraction of light waves? (iii) One can buy a cheap microscope for use by the children. The image seen in such a microscope (iv) has coloured edges. Why is this so? What is repeater? What it is necessary in optical fibre communication system. (v) A thermos flask containing milk as a system is shaken rapidly. Does the temperature of milk rise? (vi) (vii) Does entropy of a system increase or decrease due to friction? (viii) what are isothermal and adiabatic processes? (ix) Define triple point of water, also write down its value.  $(8 \times 3 = 24)$ Section ----- II Note: Attempt any three questions. Define Absolute potential energy and derive a relation for it. 5. (a) The magnitude of dot and cross products of two vectors are  $6\sqrt{3}$  and 6 respectively. Find the (b) angle between the vectors. What is centripetal force? Work out an expression for centripetal force of an object of mass 6. 'm' moving with constant speed 'v' in a circle of radius 'r'. A football is thrown upwards with an angle of 30° with respect to the horizontal to throw a (b) 40 m pass, What must be the initial speed of the ball? What is carnot engine. Explain its cycle and derive formula for efficiency. 7. (a) Water flows through a hose whose internal diameter is 1 cm at a speed of 1 ms<sup>-1</sup>. What should be the diameter of the nozzle if the water is to emerge at 21 ms<sup>-1</sup>. What is simple pendulum? Show that motion of pendulum is S.H.M. Also find relations for 8. its time period and frequency. A stationary wave is established in a string which is 120 cm long and fixed at both ends. The (b) string vibrates in four-segments, at a frequency of 120 Hz. Determine its wave length and the fundamental frequency. Explain the construction and working of a compound microscope. Drive expression for its 9. (a) magnification.

1122 1122 15000

is 650 nm. Determine the slit separation.

(b)

In a double slit experiment the second order maximum occurs at  $\theta = 0.25^{\circ}$ . The wavelength