



Objective **FBD-12-1-23** Intermediate Part Second
 Paper Code **MATHEMATICS (Objective) Group - I**
 Time: 30 Minutes Marks: 20

8191

Q.No.1 You have four choices for each objective type question as A, B, C and D. The choice which you think is correct, fill the relevant circle in front of that question number on computerized answer sheet. Use marker or pen to fill the circles. Cutting or filling two or more circles will result in zero marks in that question. Attempt as many questions as given in objective type question paper and leave other circles blank.

S.#	Questions	A	B	C	D
1	$\lim_{x \rightarrow 0} \frac{x}{\sin 2x} = ?$	$\frac{1}{2}$	2	$-\frac{1}{2}$	-2
2	The function $f(x) = \frac{x}{x^2 - 4}$ is discontinuous at:	0	± 2	1	± 1
3	$\lim_{h \rightarrow 0} \frac{f(a+h) - f(a)}{h} = ?$	$f(a)$	$f'(a+h)$	$f'(a)$	$f'(x)$
4	$\frac{dy}{dx} = -\frac{1}{x^2}$ if :	$y = -\frac{1}{x}$	$y = -x$	$y = \ln x$	$y = \frac{1}{x}$
5	If $f(x) = \cos x$, then $f'\left(\frac{\pi}{2}\right) = ?$	-1	1	0	2
6	$\frac{d}{dx}(e^x) = ?$	$\frac{1}{e^x}$	$-\frac{1}{x^2}e^x$	$\frac{1}{x}e^x$	$\frac{1}{x^2}e^{x^2}$
7	Differential of \sqrt{y} is:	$\sqrt{y} dx$	$\sqrt{y} dy$	$\frac{1}{2\sqrt{y}} dy$	$\frac{1}{2\sqrt{y}} dx$
8	$\int \sec ax \tan ax dx = ?$ is :	$\frac{\tan ax}{a} + c$	$\frac{\sec ax}{a} + c$	$\frac{\sec ax \tan ax}{a} + c$	$\frac{\cot ax}{a} + c$
9	$\int \frac{1}{x^2 + 3} dx = ?$	$\tan^{-1}\left(\frac{x}{3}\right) + c$	$\frac{1}{3} \tan^{-1}\left(\frac{x}{3}\right) + c$	$\frac{1}{\sqrt{3}} \tan^{-1}\left(\frac{x}{\sqrt{3}}\right) + c$	$\cot^{-1}(3x) + c$
10	$\int_{-\frac{\pi}{2}}^{\frac{\pi}{2}} \cos\left(\frac{x}{2}\right) dx = ?$	1	$\sqrt{2}$	$2\sqrt{2}$	$4\sqrt{2}$
11	Slope of a line $ax + by + c = 0$ is:	$-\frac{a}{b}$	$\frac{a}{b}$	$-\frac{b}{a}$	$\frac{b}{a}$
12	Inclination of a line $x = 6$ is:	0	π	$\frac{\pi}{4}$	$\frac{\pi}{2}$
13	The point of intersection of lines $y = 2$ and $x = -1$ is:	(2, -1)	(2, 1)	(2, 0)	(-1, 2)
14	$x - y < 2$ is satisfied by the point:	(3, 1)	(-1, 1)	(1, -1)	(0, -2)
15	Center of a circle $(x+1)^2 + y^2 = 25$ is:	(0, 0)	(1, 0)	(-1, 0)	(0, 2)
16	Major axis of $\frac{x^2}{a^2} + \frac{y^2}{b^2} = 1$ is :	$x = a$	$x = \pm \frac{a}{c}$	$y = \pm \frac{a}{b}$	$y = 0$
17	Length of minor axis of $x^2 + 4y^2 = 16$ is:	4	16	20	36
18	Center of $\frac{(x-1)^2}{4} - \frac{(y+1)^2}{16} = 1$ is:	(0, 0)	(1, -1)	(-1, -1)	(-1, 1)
19	The direction cosines of y-axis are :	0, 0, 0	1, 0, 0	0, 1, 0	0, 0, 1
20	$\hat{i} \cdot \hat{k} \times \hat{j} = ?$	0	1	$\frac{1}{2}$	-1

(17)

MATHEMATICS (Subjective) Group - I

FBD-12-1-23

Time: 02:30 Hours

Marks: 80

SECTION - I**2. Attempt any EIGHT parts:**

16

- (i) Define constant function with example.
- (ii) Find $f^{-1}(x)$ if $f(x) = -2x + 8$
- (iii) Evaluate $\lim_{x \rightarrow 1} \frac{x^3 - 3x^2 + 3x - 1}{x^3 - x}$
- (iv) Find derivative by definition $\frac{1}{x^{40}}$
- (v) Differentiate w.r.t. x , $\frac{\sqrt{1+x}}{\sqrt{1-x}}$
- (vi) Find $\frac{dy}{dx}$, $xy + y^2 = 2$
- (vii) Differentiate w.r.t. x , $\cos \sqrt{x} + \sqrt{\sin x}$
- (viii) Differentiate $\cos^{-1}\left(\frac{x}{a}\right)$
- (ix) Find $\frac{dy}{dx}$ if $y = x e^{\sin x}$
- (x) Determine the interval in which $f(x) = \cos x$ is increasing or decreasing for the domain $x \in \left(-\frac{\pi}{2}, \frac{\pi}{2}\right)$.
- (xi) Define problem constraint.
- (xii) Graph the solution set of $5x - 4y \leq 20$

3. Attempt any EIGHT parts:

16

- (i) Find the area bounded by \cos , function from $x = -\frac{\pi}{2}$ to $x = \frac{\pi}{2}$.
- (ii) Solve the differential equation $(e^x + e^{-x}) \frac{dy}{dx} = e^x - e^{-x}$
- (iii) Evaluate $\int_{-1}^2 (x + |x|) dx$
- (iv) Evaluate $\int \frac{e^{\tan^{-1} x}}{1+x^2} dx$
- (v) Evaluate $\int \frac{1}{x \ln x} dx$
- (vi) Evaluate $\int \frac{(1-\sqrt{x})^2}{\sqrt{x}} dx$
- (vii) Use differential find $\frac{dy}{dx}$ if $x^2 + 2y^2 = 16$.
- (viii) Find the value of $2\mathbf{i} \times 2\mathbf{j} \cdot \mathbf{k}$
- (ix) Find a unit vector in the direction of $\mathbf{v} = \mathbf{i} + 2\mathbf{j} - \mathbf{k}$
- (x) If $\overline{AB} = \overline{CD}$, then find the coordinate of the point A when points, B, C, D are (1, 2), (-2, 5), (4, 11) respectively.
- (xi) Find the volume of parallelepiped if $\mathbf{u} = 3\mathbf{i} + 2\mathbf{k}$, $\mathbf{v} = \mathbf{i} + 2\mathbf{j} + \mathbf{k}$, $\mathbf{w} = -\mathbf{j} + 4\mathbf{k}$
- (xii) Find a vector of length 5, in the direction opposite that of $\mathbf{v} = \mathbf{i} - 2\mathbf{j} + 3\mathbf{k}$

4. Attempt any NINE parts:

18

- (i) Find the midpoint of the line segment joining the points A(3, 1); B(-2, -4). Also find the distance between them.
- (ii) Find slope and inclination of the line joining the points (3, -2); (2, 7).
- (iii) Find an equation of horizontal line through (7, -9).
- (iv) Find an equation of the line bisecting second and fourth quadrant.
- (v) Check whether the lines $3x + 4y - 7 = 0$, $2x - 5y + 8 = 0$, $x + y - 3 = 0$ are concurrent or not?

(Continued P/2)

18

F3D-12-1-23

- (vi) Find equation of lines represented by $10x^2 - 23xy - 5y^2 = 0$
- (vii) Find the measure of the angle between the lines represented by $3x^2 + 7xy + 2y^2 = 0$
- (viii) Find the center and radius of the circle $x^2 + y^2 + 12x - 10y = 0$
- (ix) Show that the line $3x - 2y = 0$ is tangent to the circle $x^2 + y^2 + 6x - 4y = 0$
- (x) Check the position of the point $(5, 6)$ with respect to the circle $2x^2 + 2y^2 + 12x - 8y + 1 = 0$
- (xi) Find focus and directrix of the parabola $y^2 = 8x$
- (xii) Find an equation of ellipse with given data. Vertices $(-1, 1), (5, 1)$; foci $(4, 1)$ and $(0, 1)$
- (xiii) Find equation of hyperbola with given data. foci $(0, \pm 6)$, $e = 2$

SECTION - II Attempt any THREE questions. Each question carries 10 marks.

5. (a) Evaluate: $\lim_{x \rightarrow 0} \frac{\sec x - \cos x}{x}$ 05
- (b) If $y = \sqrt{x} - \frac{1}{\sqrt{x}}$, then show that $2x \frac{dy}{dx} + y = 2 \cdot \sqrt{x}$ 05
6. (a) Evaluate: $\int e^{2x} \cos 3x \, dx$ 05
- (b) Find equation of line through intersection of lines $x - y - 4 = 0$, $7x + y + 20 = 0$ and parallel to line $6x + y - 14 = 0$ 05
7. (a) Evaluate: $\int_{\frac{1}{2}}^{\frac{\sqrt{3}}{2}} \frac{\sin^{-1} x}{\sqrt{1-x^2}} \, dx$ 05
- (b) Maximize $f(x, y) = 2x + 5y$ subject to the constraints: $2y - x \leq 8$; $x - y \leq 4$; $x \geq 0$; $y \geq 0$ 05
8. (a) Show that $y = x^x$ has a minimum value at $x = \frac{1}{e}$. 05
- (b) Find an equation of the circle which passes through the points $A(5, 10)$, $B(6, 9)$ and $C(-2, 3)$ 05
9. (a) Find an equation of the ellipse with given data center $(2, 2)$, major axis parallel to y-axis and of length 8 units, minor axis parallel to x-axis and of length 6 units. 05
- (b) Prove that by vector method. $\sin(\alpha - \beta) = \sin \alpha \cdot \cos \beta - \cos \alpha \sin \beta$ 05

1207-XII123-15000



Q.No.1 You have four choices for each objective type question as A, B, C and D. The choice which you think is correct, fill the relevant circle in front of that question number on computerized answer sheet. Use marker or pen to fill the circles. Cutting or filling two or more circles will result in zero marks in that question. Attempt as many questions as given in objective type question paper and leave other circles blank.acf

S.#	Questions	A	B	C	D
1	(0, 0) is one of the solutions of inequality:	$3x + 4y > 4$	$2x - 3y > 4$	$x + 3y > 5$	$x - 3y > -4$
2	If a straight line is parallel to x-axis then its slope is:	-1	-1	0	∞
3	Intercepts form of equation of line is:	$y = mx + c$	$\frac{x}{a} + \frac{y}{b} = 1$	$y - y_1 = m(x - x_1)$	$x \cos \alpha + y \sin \alpha = p$
4	A linear equation in two variable represents:	Circle	Ellipse	Hyperbola	Straight line
5	Center of the circle $(x - 1)^2 + (y + 3)^2 = 3$ is:	(1, -3)	(-1, 3)	(-1, -3)	(1, 3)
6	Parabola $x^2 = -8y$ opens:	Rightwards	Leftwards	Upwards	Downwards
7	Length of major axis of an ellipse $\frac{(x-1)^2}{2^2} + \frac{(y+1)^2}{3^2} = 1$ is:	18	8	6	4
8	Which conics is represented by the equation $x^2 - y^2 = 4$?	Circle	Parabola	Ellipse	Hyperbola
9	Which vector is equal to vector $\underline{i} \cdot \underline{j} \times \underline{k}$?	0	1	-1	\underline{i}
10	The angle between the vectors $2\underline{i} + 3\underline{j} + \underline{k}$ and $2\underline{i} - \underline{j} - \underline{k}$ is:	30°	45°	60°	90°
11	If $f(x) = x^2 + \cos x$, then $f(x)$ is:	Constant function	Linear function	Odd function	Even function
12	The range of the function $y = 2 + \sqrt{x-1}$ is:	$[2, \infty)$	$[3, \infty)$	$[1, \infty)$	$[-1, \infty)$
13	$\frac{d}{dx}(\log_a x) =$:	$\frac{1}{x}$	$\frac{1}{x} \ln a$	$\frac{1}{x \ln a}$	$\frac{1}{a \ln x}$
14	$\frac{d}{dx}(e^x + e^{-x}) =$:	$2 \sinh x$	$2 \cosh x$	$\sinh x$	$\cosh x$
15	If $f(x) = 3x^2 - 2x + 1$, then $f'(0) =$:	5	-2	1	2
16	$\frac{1}{\sqrt{1+x^2}}$ is the derivative of:	$\sinh^{-1} x$	$\cosh^{-1} x$	$\tanh^{-1} x$	$\tan^{-1} x$
17	$\int \tan x \, dx =$:	$\ln \cos x + c$	$\ln \operatorname{cosec} x + c$	$\ln \sec x + c$	$\ln \cot x + c$
18	$\int_0^1 \frac{1}{1+x^2} \, dx =$:	$\frac{\pi}{4}$	$\frac{\pi}{3}$	$\frac{\pi}{2}$	$\frac{\pi}{6}$
19	$\int (\sin^2 x + \cos^2 x) \, dx =$:	$\sin x + \cos x + c$	$\sin 2x + \cos 2x + c$	$\frac{x^2}{2} + c$	$x + c$
20	Suitable substitution for $\int \sqrt{a^2 - x^2} \, dx$ is:	$x = a \sec \theta$	$x = a \sin \theta$	$x = a \tan \theta$	$x = a \cot \theta$

MATHEMATICS (Subjective) Group – II

FBD-12-2-23

Time: 02:30 Hours

Marks: 80

SECTION – I

2. Attempt any EIGHT parts:

16

- (i) Show that the parametric equations $x = a \sec \theta$, $y = b \tan \theta$ represent the equation of hyperbola $\frac{x^2}{a^2} - \frac{y^2}{b^2} = 1$
- (ii) Express the limit $\lim_{x \rightarrow 0} (1 + 3x)^{\frac{2}{x}}$ in terms of e .
- (iii) Evaluate $\lim_{x \rightarrow -2} \frac{2x^3 + 5x}{3x - 2}$
- (iv) Differentiate $\frac{1}{x-a}$ by definition
- (v) If $y = \left(\sqrt{x} - \frac{1}{\sqrt{x}}\right)^2$ then find $\frac{dy}{dx}$
- (vi) If $y = (3x^2 - 2x + 7)^6$, then find $\frac{dy}{dx}$ by making a suitable substitution.
- (vii) If $y = e^x(1 + \ln x)$ then find $\frac{dy}{dx}$
- (viii) If $y = x^2 e^{-x}$ then find y_1, y_2
- (ix) Define increasing and decreasing function.
- (x) If $x = at^2$, $y = 2at$ then find $\frac{dy}{dx}$
- (xi) Graph the solution region of $4x - 3y \leq 12$, $x \geq \frac{-3}{2}$
- (xii) Define optimal solution.

3. Attempt any EIGHT parts:

16

- (i) Find δy and dy of $y = x^2 - 1$ when x changes from 3 to 3.02
- (ii) Evaluate the indefinite integral $\int (\sqrt{x} + 1)^2 dx$
- (iii) Evaluate $\int \tan^2 x dx$
- (iv) Evaluate $\int a^{x^2} x dx$, $a > 0$, $a \neq 1$
- (v) Evaluate $\int \frac{-2x}{\sqrt{4-x^2}} dx$
- (vi) Evaluate $\int \frac{1}{(1+x^2)\tan^{-1}x} dx$
- (vii) Find integral by parts $\int x \sin x dx$
- (viii) Find a unit vector in direction of $\underline{v} = [3, -4]$
- (ix) Write a unit vector whose magnitude is 2 and direction is same as of $\underline{v} = -\hat{i} + \hat{j} + \hat{k}$
- (x) If $\underline{a} = 4\hat{i} + 3\hat{j} + \hat{k}$, $\underline{b} = 2\hat{i} - \hat{j} + 2\hat{k}$, find $|\underline{a} \times \underline{b}|$
- (xi) Find a scalar α so that the vectors $2\hat{i} + \alpha\hat{j} + 5\hat{k}$ and $3\hat{i} + \hat{j} + \alpha\hat{k}$ are perpendicular.
- (xii) A force $\underline{F} = 4\hat{i} - 3\hat{k}$ passes through the point $A(2, -2, 5)$. Find the moment of force \underline{F} about the point $B(1, -3, 1)$.

4. Attempt any NINE parts:

18

- (i) Show that points $A(0, 2)$, $B(\sqrt{3}, -1)$ and $C(0, -2)$ are vertices of a right triangle.
- (ii) Find h such that $A(-1, h)$, $B(3, 2)$ and $C(7, 3)$ are collinear.
- (iii) The coordinates of point P are $(-6, 9)$. The axes are translated through the point $O'(-3, 2)$. Find the coordinates of point P referred to new axes.
- (iv) Find equation of a straight line if its slope is 2 and y -intercept is 5.
- (v) Find the equation of the line through the points $(-2, 1)$ and $(6, -4)$.

(Continued P/2)

FBD-12-2-23

- 2 -

- (vi) Find the point of intersection of lines $x + 4y - 12 = 0$ and $x - 3y + 3 = 0$
 (vii) Find the lines represented by $3x^2 + 7xy + 2y^2 = 0$
 (viii) Find the center and radius of the circle $5x^2 + 5y^2 + 24x + 36y + 10 = 0$
 (ix) Find the equation of normal to the circle $x^2 + y^2 = 25$ at $(4, 3)$
 (x) Check position of a point $(5, 6)$ with respect to the circle $x^2 + y^2 = 81$
 (xi) Find the focus and vertex of a parabola $x^2 = 5y$
 (xii) Find the equation of ellipse with foci $(\pm 3, 0)$ and minor axis of length 10
 (xiii) Find foci and vertices of $x^2 - y^2 = 9$

SECTION - II Attempt any THREE questions. Each question carries 10 marks.

5. (a) Evaluate: $\lim_{\theta \rightarrow 0} \frac{1 - \cos p\theta}{1 - \cos q\theta}$ 05
 (b) Differentiate w.r.t. x , $\frac{\sqrt{1+x} - \sqrt{1-x}}{\sqrt{1+x} + \sqrt{1-x}}$ 05
6. (a) Evaluate: $\int \frac{dx}{\sqrt{7-6x-x^2}}$ 05
 (b) Find equation of two parallel lines perpendicular to $2x - y + 3 = 0$ such that the product of the x - and y -intercepts of each is 3. 05
7. (a) Evaluate $\int_0^{\frac{\pi}{4}} \cos^4 t \, dt$ 05
 (b) Maximize $f(x, y) = x + 3y$ subject to the constraints: $2x + 5y \leq 30$; $5x + 4y \leq 20$; $x \geq 0$; $y \geq 0$ 05
8. (a) If $x = \sin \theta$, $y = \sin m\theta$ show that $(1 - x^2)y_2 - xy_1 + m^2y = 0$ 05
 (b) Find an equation of the circle passing through the points $A(1, 2)$ and $B(1, -2)$ and touching to the line $x + 2y + 5 = 0$ 05
9. (a) Find center, foci, eccentricity and vertices of ellipse $x^2 + 16x + 4y^2 - 16y + 76 = 0$ 05
 (b) Prove that $\sin(\alpha - \beta) = \sin \alpha \cos \beta - \cos \alpha \sin \beta$ 05

1208-XII123-18000