

## UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

CHEMISTRY 0620/01

Paper 1 Multiple Choice October/November 2008

45 Minutes

Additional Materials: Multiple Choice Answer Sheet

Soft clean eraser

Soft pencil (type B or HB is recommended)

## **READ THESE INSTRUCTIONS FIRST**

Write in soft pencil.

Do not use staples, paper clips, highlighters, glue or correction fluid.

Write your name, Centre number and candidate number on the Answer Sheet in the spaces provided unless this has been done for you.

There are **forty** questions on this paper. Answer **all** questions. For each question there are four possible answers **A**, **B**, **C** and **D**.

Choose the one you consider correct and record your choice in soft pencil on the separate Answer Sheet.

## Read the instructions on the Answer Sheet very carefully.

Each correct answer will score one mark. A mark will not be deducted for a wrong answer.

Any rough working should be done in this booklet.


A copy of the Periodic Table is printed on page 16.


You may use a calculator.



**International Examinations** 

- 1 In which substance are the particles furthest apart at room temperature?
  - **A** ethanol
  - **B** methane
  - C salt
  - **D** sugar
- 2 An experiment is carried out to separate a mixture of two dyes. A line is drawn on a piece of chromatography paper and a spot of the dye mixture placed on it. The paper is dipped into a solvent and left for several minutes.





Which statement about this experiment is correct?

- A The dyes must differ in their boiling points.
- **B** The dyes must differ in their solubilities in the solvent.
- **C** The line must be drawn in ink.
- **D** The line must be placed below the level of the solvent.
- **3** An aqueous solution contains barium iodide.


It is possible to obtain a solution that contains  $Ba^{2+}(aq)$  but no  $I^{-}(aq)$  by adding .....1..... until no more .....2..... precipitate forms.

Which words correctly complete gaps 1 and 2?

	1	2
Α	aqueous lead(II) nitrate	white
В	aqueous lead(II) nitrate	yellow
С	dilute sulphuric acid	white
D	dilute sulphuric acid	yellow

4 A solid mixture contains an ionic salt, X, and a covalent organic compound, Y.

Two students suggested methods of separating the mixture as shown.



Which methods of separation are likely to work?

	1	2
Α	✓	✓
В	✓	X
С	X	✓
D	X	X

- **5** What do the nuclei in hydrogen molecules contain?
  - A electrons and neutrons
  - B electrons and protons
  - C neutrons only
  - **D** protons only

**6** The diagram shows part of the Periodic Table.

W								Х		
	Υ									Z

Which element is correctly matched with its electronic structure?

	element	electronic structure
Α	W	2,8,1
В	X	2,4
С	Υ	2,8,2
D	Z	2,8


7 Which of the following compounds exist?

	RaAr	RbBr
Α	<b>√</b>	✓
В	✓	X
С	X	✓
D	X	X

8 Which particle is an ion?

	number of protons	number of neutrons	number of electrons
Α	1	0	1
В	3	4	3
С	6	6	6
D	11	12	10

**9** The diagram shows a molecule of hydrogen fluoride.



In the molecule hydrogen fluoride, HF,

- **A** the hydrogen and fluorine share a pair of electrons.
- **B** the hydrogen and fluorine share a pair of protons.
- **C** the hydrogen gives the fluorine an electron.
- **D** the hydrogen gives fluorine a proton.
- **10** Lead(II) nitrate can be decomposed as shown.

$$xPb(NO_3)_2 \rightarrow yPbO + zNO_2 + O_2$$

Which numbers x, y and z balance the equation?


	X	у	Z
Α	2	2	2
В	2	2	4
С	2	4	4
D	4	4	2

11 Carbon and chlorine form a chloride.

What is the formula of this chloride?

- A  $CCl_2$
- B CCl<sub>4</sub>
- **C** CaC $l_2$
- **D** CaCl<sub>4</sub>

12 Which diagram shows an experiment in which the bulb lights?



**13** Metal X is low in the reactivity series and it is liberated by electrolysis of its bromide.

Metal X is .....1..... and the bromide is .....2......

Which words correctly complete gaps 1 and 2?

	1	2
Α	lead	in solution
В	lead	molten
С	sodium	in solution
D	sodium	molten

14 Copper and hydrogen can each be formed by electrolysis.

At which electrodes are these elements formed?

	copper	hydrogen
Α	anode	anode
В	anode	cathode
С	cathode	anode
D	cathode	cathode

**15** When solid X is dissolved in water, an endothermic change takes place.

When 5 g of X are dissolved in 1000 cm<sup>3</sup> of water, a temperature change of 10 °C occurs.

Which temperature change occurs when 5 g of X are dissolved in 500 cm<sup>3</sup> of water?

- A a decrease of 20°C
- **B** a decrease of 5°C
- C an increase of 20 °C
- **D** an increase of 5 °C
- **16** The elements  $H_2$  and  $^{235}U$  are both used as fuels.


In these processes, the reactions are .....1..... and .....2..... oxidised.

Which words correctly complete gaps 1 and 2?

	1	2
Α	endothermic	both elements are
В	endothermic	only hydrogen is
С	exothermic	both elements are
D	exothermic	only hydrogen is

- 17 In which of the following reactions is the substance printed in **bold** oxidised?
  - A burning the wax in a candle
  - B dissolving hydrogen chloride in water
  - **C** making glucose from **carbon dioxide** and water by photosynthesis
  - D reacting sodium hydroxide with sulphuric acid

**18** The diagram shows the change from a salt to its hydrated form.



Which labels can be used for X and Y?

	Х	Υ
Α	+ heat	+ water
В	+ heat	– water
С	+ water	+ heat
D	+ water	– heat

19 Oxygen is formed when manganese(IV) oxide is added to hydrogen peroxide,  $H_2O_2$ .

$$2H_2O_2 \rightarrow 2H_2O + O_2$$

In this reaction, the manganese(IV) oxide acts as

- A an acid.
- B a base.
- **C** a catalyst.
- **D** a drying agent.

**20** Dilute hydrochloric acid is added to aqueous barium nitrate in a test-tube.


What happens?

	the pH of the liquid in the test-tube	a precipitate forms
Α	decreases	yes
В	decreases	no
С	increases	yes
D	increases	no

- **21** A colourless liquid in an unlabelled bottle is tested as shown.
  - Litmus paper turns red.
  - Magnesium ribbon fizzed.
  - Reaction with aqueous barium nitrate produced a white precipitate.

What is the colourless liquid?

- A aqueous sodium hydroxide
- B aqueous sodium sulphate
- C dilute hydrochloric acid
- D dilute sulphuric acid
- 22 The diagrams show two experiments.



What happens to the pieces of litmus paper?

	experiment 1	experiment 2
Α	$blue \to red$	both pieces bleached
В	$blue \to red$	no change
С	$red \rightarrow blue$	both pieces bleached
D	$red \rightarrow blue$	no change

23 Which substances react with dilute sulphuric acid to form a salt?

	magnesium	magnesium oxide	magnesium carbonate	magnesium chloride					
Α	✓	✓	✓	X					
В	✓	✓	X	✓					
С	✓	X	✓	✓					
D	X	✓	✓	✓					

24 Which properties of the element titanium, Ti, can be predicted from its position in the Periodic Table?

	can be used as a catalyst	conducts electricity when solid	has low density	forms coloured compounds
Α	X	✓	✓	✓
В	✓	×	✓	✓
С	✓	✓	×	✓
D	✓	✓	✓	x

**25** The table gives information about four elements.

Which element could be in Group I of the Periodic Table?

	proton number	reaction with water
Α	even	reacts
В	even	no reaction
С	odd	reacts
D	odd	no reaction

26 What is the formula of a strontium ion?

**A** Sr<sup>2+</sup>

B Sr<sup>+</sup>

C Sr-

**D** Sr<sup>2-</sup>

27 Nichrome is an alloy of the two transition elements nickel and chromium. The alloy is used as the heating coil in electric fires and electric toasters.

Which properties of nichrome are important for these uses?

	high melting point	resistant to oxidation
Α	✓	✓
В	✓	×
С	X	✓
D	X	×

**28** Mild steel is an alloy of iron and carbon.


How does the carbon affect the properties of mild steel?

- **A** The carbon makes the alloy a better conductor of electricity than iron.
- **B** The carbon makes the alloy harder than the iron.
- **C** The carbon makes the alloy softer than the iron.
- **D** The carbon stops the iron rusting.
- **29** A new isotope of a divalent metal is discovered. Some students are asked to predict its properties.

Which student's predictions are correct?

student	number of electrons in outer shell	bonding in the oxide
Α	2	covalent
В	2	ionic
С	6	covalent
D	6	ionic


**30** The diagrams show two experiments to investigate metal reactivity.



In which of these experiments could the metal be copper?

	experiment 1	experiment 2
Α	✓	✓
В	✓	x
С	×	✓
D	X	X

- 31 Which reaction is **not** a step in the production of iron from hematite in the Blast Furnace?
  - A carbon (coke) burning in air to produce carbon dioxide
  - B carbon monoxide being formed from carbon and carbon dioxide
  - **C** iron oxide reacting with carbon monoxide to form iron
  - **D** iron reacting with limestone to produce slag
- 32 Which item is sometimes made from stainless steel?



33 Some pollutant gases are present in the atmosphere because of the combustion of fossil fuels.

For which gases is this statement correct?


	СО	NO <sub>2</sub>	SO <sub>2</sub>
Α	✓	✓	✓
В	✓	✓	X
С	✓	X	✓
D	X	✓	✓

**34** Air is a mixture of gases.

Which gas is present in the largest amount?

- **A** argon
- B carbon dioxide
- C nitrogen
- **D** oxygen
- 35 The experiment shown in the diagram was set up.

Which tube had the highest water level after one month?



**36** An excess of fertiliser on a field can be dissolved by rain water and washed into streams and rivers. Fertiliser can then find its way into water supplies.

Which process at the water works, if any, would remove this fertiliser?

	filtration	chlorination
Α	no	no
В	no	yes
С	yes	no
D	yes	yes

37 When added in turn to four solutions, aqueous sodium carbonate gives the following results.

Which solution is acidic?

solution	result			
Α	a blue precipitate forms			
В	a white precipitate forms			
С	bubbles of gas form			
D	no visible reaction occurs			

**38** Which products are obtained by the cracking of an alkane?

	alkene	hydrogen	water
Α	✓	✓	✓
В	✓	✓	X
С	✓	×	✓
D	X	✓	✓

**39** A compound takes part in an addition reaction.

How does its name end?

**A** .....ane

**B** .....ene

**C** .....ol

**D** .....oic acid

**40** When glucose is fermented, ethanol is formed together with

A carbon dioxide.

B ethene.

C methane.

**D** oxygen.

## **BLANK PAGE**

DATA SHEET
The Periodic Table of the Elements

	0	4 Helium	20 Neon 10 40 Ar	Argon 18	<sup>‡</sup> ኝ	Krypton 36	131	Xe	Xenon 54		Ru	Radon 86			175	Lutetium	74		۲	Lawrencium 103
	II/		19 Fluorine 9 35.5 <b>C1</b>	Chlorine 17	<b>.</b>	Bromine 35	127	Ι	lodine 53	,	¥	Astatine 85			173	Yb	20		8	Nobelium 102
	>		0 Oxygen 8	Sulphur 16	Se S	Selenium 34	128	<u>a</u>	Tellurium 52			Polonium 84			169	<b>T</b> Bullium	69		Md	Mendelevium 101
	>		Nitrogen 7	Phosphorus 15	۶ <b>As</b>		122	Sp	Antimony 51	508	<u></u>	Bismuth 83			167	Erbium	89		Fm	Fermium 100
	<u>&gt;</u>		Carbon 6 28	Silicon 14	<b>.</b> 9	Germanium 32	119	Sn	50 Tin	207	Ъ	Lead 82			165	<b>H</b> olmium	29			Einsteinium 99
	≡		11 B B B C 27 A 1	Aluminium 13	g B	Gallium 31	115	п	Indium 49	204	<i>1</i> 1	Thallium 81			162	<b>Dy</b> Dysprosium	99		ర	Californium 98
			·	ų	Zu	Zinc 30	112	ဦ	Cadmium 48	201	ΕĒ	Mercury 80			159	<b>Tb</b>	65		Ř	Berkelium 97
				2	<sup>‡</sup> J	Copper 29	108	Ag	Silver 47	197	Αn	Gold 79			157		64		CB	Curium 96
Group				C	ž	Nickel 28	106	Pd	Palladium 46	195	ፈ	Platinum 78			152	<b>Europium</b>	63		Am	Americium 95
Ğ				G.	္ဖီ ပိ	Cobalt 27	103	R	Rhodium 45	192	<u>-</u>	Iridium 77			150	Samarium	62		Pn	Plutonium 94
		T Hydrogen		Q.	<b>9</b>	Iron 26	101	Ru	Ruthenium 44	190	os	Osmium 76				Pm	61		ď	Neptunium 93
				u u	S E	Manganese 25		ပ	Technetium 43	186	Re	Rhenium 75			144	Neodymium	09	238	>	Uranium 92
				Ç.	ن ا	Chromium 24	96	Mo	Molybdenum 42	184	>	Tungsten 74			141	<b>Pr</b> Praseodymium	29		Ра	Protactinium 91
				,	ō <b>&gt;</b>	Vanadium 23	93	g	Niobium 41	181	<u>a</u>	Tantalum 73			140		28	232	Ę	Thorium 90
				ć	<sup>87</sup> <b>F</b>	Titanium 22	91	ZĽ	Zirconium 40	178	Ξ	* Hafnium			7			nic mass	lodi	nic) number
		ı		ń	လို့ လ	Scandium 21	88	>	Yttrium 39	139	Ľ	Lanthanum 57 *	227 <b>A.c.</b>	Adinium 89		series		a = relative atomic mass	X = atomic symbol	b = proton (atomic) number
	=		9 Be Beryllium 4 A Z24 MG	Magnesium 12	B	Calcium 20	88	လွ	Strontium 38	137	Ва	Barium 56	226	Radium 88	- cioacata	190-103 Actinoid series			×	٩
	_		7 <b>Li</b> thium 3 23	Sodium 11	" <b>*</b>	Potassium 19	82	Rb	Rubidium 37	133	Cs	Caesium 55	ů	Francium 87	* 50 71	190-103	L		Key	Ω

The volume of one mole of any gas is 24 dm<sup>3</sup> at room temperature and pressure (r.t.p.).

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.