UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

CHEMISTRY 0620/01

Paper 1 Multiple Choice

May/June 2005

45 minutes

Additional Materials: Multiple Choice Answer Sheet

Soft clean eraser

Soft pencil (type B or HB is recommended)

READ THESE INSTRUCTIONS FIRST

Write in soft pencil.

Do not use staples, paper clips, highlighters, glue or correction fluid.

Write your name, Centre number and candidate number on the answer sheet in the spaces provided unless this has been done for you.

There are **forty** questions on this paper. Answer **all** questions.

For each question there are four possible answers **A**, **B**, **C** and **D**. Choose the **one** you consider correct and record your choice in **soft pencil** on the separate answer sheet.

Read the instructions on the answer sheet very carefully.

Each correct answer will score one mark. A mark will not be deducted for a wrong answer.


Any rough working should be done in this booklet.

A copy of the Periodic Table is printed on page 16.

You may use a calculator.

- 1 In which of the following are the particles arranged in a regular pattern?
 - A a gas
 - **B** a liquid
 - C a metal
 - **D** a solution
- **2** A student mixes 25 cm³ samples of dilute hydrochloric acid with different volumes of aqueous sodium hydroxide. Each time, the student measures the change in temperature to test if the reaction is exothermic.

Which piece of apparatus is **not** needed?




3 In an experiment, a student needs to measure out 36.50 cm³ of a solution.

Which piece of apparatus would measure this volume most accurately?

- A beaker
- **B** burette
- **C** measuring cylinder
- **D** pipette

4 Two isotopes of helium are ${}_2^3$ He and ${}_2^4$ He.

Which two diagrams show the arrangement of particles in these two isotopes?



key

- (e) electron
- p) proton
- n neutron
 - nucleus

5 Which row gives the outer electronic shell of fluorine and of neon?


	₉ F	₁₀ Ne
Α	7	8
В	7	10
С	9	8
D	9	10

6 The electronic configuration of an ion is 2.8.8.

What could this ion be?

	S ²⁻	Ca ²⁺
Α	✓	✓
В	✓	X
С	X	✓
D	X	X

7 The 'lead' in a pencil is made of a mixture of graphite and clay.



If the percentage of graphite is increased, the pencil slides across the paper more easily.


Why is this?

- A Graphite conducts electricity.
- **B** Graphite is a form of carbon.
- **C** Graphite is a lubricant.
- **D** Graphite is a non-metal.
- 8 Which statement about gaseous hydrogen chloride and solid potassium chloride is correct?
 - A Hydrogen chloride is covalent but potassium chloride is ionic.
 - **B** Hydrogen chloride is ionic but potassium chloride is covalent.
 - **C** They are both covalent compounds.
 - **D** They are both ionic compounds.
- **9** Which two elements form an alloy when they are heated together?
 - A chlorine and hydrogen
 - B chlorine and zinc
 - C copper and hydrogen
 - D copper and zinc

10 For which compound is the formula correct?

	compound	formula
Α	ammonia	NH₄
В	carbon monoxide	CO ₂
С	iron(III) oxide	Fe ₃ O ₂
D	zinc hydroxide	Zn(OH) ₂

11 At which stage in the manufacture of magnesium from sea-water can electrolysis be used?




12 Metallic and non-metallic elements can both be extracted by electrolysis.

Which element is produced at the negative electrode (cathode)?

- A bromine
- **B** chlorine
- C hydrogen
- **D** oxygen
- 13 Which product is manufactured by electrolysis?
 - A aluminium
 - **B** copper(II) sulphate
 - C sodium chloride
 - **D** steel

14 Which diagrams show a process in which an exothermic change is taking place?




- A 1 and 2 only
- B 1 and 3 only
- C 2 and 3 only
- **D** 1, 2 and 3

15 Are hydrogen and uranium oxidised when used as a source of energy?

	hydrogen	uranium					
Α	✓	✓					
В	✓	x					
С	X	✓					
D	X	X					


16 A liquid **X** reacts with solid **Y** to form a gas.

Which **two** diagrams show suitable methods for investigating the speed of the reaction?



17 In different experiments, 2g of marble are added to 10 cm³ of hydrochloric acid.

In which tube is the reaction fastest?



18 What is the colour of liquid bromine and of the aqueous bromide ion?

	bromine	bromide ion
Α	red-brown	red-brown
В	red-brown	colourless
С	yellow-green	yellow-green
D	yellow-green	colourless


- 19 Which property does hydrochloric acid have?
 - **A** It gives a pale blue precipitate with aqueous copper(II) sulphate.
 - **B** It gives a white precipitate with aqueous barium nitrate.
 - **C** It releases ammonia from aqueous ammonium sulphate.
 - **D** It releases hydrogen with zinc powder.
- 20 Hydrochloric acid is used to clean a metal surface by removing the oxide layer on the metal.


This is because hydrochloric acid has a**X**..... pH and the metal oxide is**Y**.....

What are **X** and **Y**?

	Х	Υ
Α	high	acidic
В	high	basic
С	low	acidic
D	low	basic

21 The apparatus shown can be used to prepare aqueous copper(II) sulphate.






What are substances X and Y?

	substance X	substance Y
Α	copper	iron(II) sulphate
В	copper(II) chloride	sulphuric acid
С	copper(II) oxide	sulphuric acid
D	sulphur	copper(II) chloride

22 In the experiment shown, the dilute sulphuric acid is run into the flask of aqueous barium hydroxide until the reaction is complete.



Which processes occur in this reaction?

	neutralisation	precipitation
Α	✓	✓
В	✓	x
С	×	✓
D	X	X

- 23 The chemical properties of an element depend mainly on the number of
 - A electrons in the innermost shell.
 - **B** electrons in the outermost shell.
 - **C** fully occupied shells of electrons.
 - **D** partly occupied shells of electrons.
- 24 An element X is in Group III of the Periodic Table.

Which property of **X** can be predicted from this fact?

- A the charge on an ion of X
- B the colour of the ion of X
- C the melting point of X
- **D** the relative atomic mass, A_r , of **X**
- **25** The table compares the properties of Group I elements with those of transition elements.

Which entry in the table is correct?

	property	Group I elements	transition elements			
Α	catalytic activity	low	high			
В	density	high	low			
С	electrical conductivity	low	high			
D	melting point	high	low			

26 Caesium is near the bottom of Group I of the Periodic Table.

What is the correct description of caesium?

	state at room temperature	reaction with cold water
Α	liquid	reacts quickly
В	liquid	reacts slowly
С	solid	reacts quickly
D	solid	reacts slowly

27 Mild steel is an alloy of iron and carbon.


How does the carbon affect the properties of mild steel?

- **A** The carbon makes the alloy a better conductor of electricity than iron.
- **B** The carbon makes the alloy harder than the iron.
- **C** The carbon makes the alloy softer than the iron.
- **D** The carbon stops the iron rusting.
- 28 Which metal reacts quickly with cold water only when it is finely powdered?
 - A calcium
 - **B** copper
 - C sodium
 - **D** magnesium
- 29 Which of the oxides CaO, CuO and Na₂O can be reduced by heating with carbon?
 - A CaO only
 - **B** CuO only
 - C Na₂O only
 - D CaO, CuO and Na₂O
- 30 Three stages in making steel from iron ore are listed.
 - X carbon dioxide reacts with carbon
 - Y basic oxides and oxygen are added
 - Z hematite is reduced

In which order do these stages occur?

- $A \quad X \to Y \to Z$
- $\textbf{B} \quad X \to Z \to Y$
- $\boldsymbol{C} \quad Y \to X \to Z$
- $\textbf{D} \quad Z \to Y \to X$

31 The diagram shows ethanol burning inside a sealed jar.



The mass of one gas in the jar does not change.

Which gas is this?

- A carbon dioxide
- **B** nitrogen
- C oxygen
- **D** water vapour

32 Which methods prevent rusting of iron?

	coating with zinc	painting	washing with distilled water
Α	✓	✓	✓
В	x	✓	✓
С	✓	✓	X
D	✓	X	X

33 Which processes do not use oxygen?

- 1 burning natural gas
- 2 heating a room with an electric fire
- 3 welding apparatus

A 1 only **B** 2 only **C** 3 only **D** 1, 2 and 3

34	The	presence	of	nitrates	in	soil	can	be	shown	by	warming	the	soil	with	aqueous	sodium
	hydr	oxide and	aluı	minium fo	oil.											

Which gas is given off?

- A ammonia
- **B** carbon dioxide
- **C** nitrogen
- D nitrogen dioxide
- **35** Dolomite is a rock that contains magnesium carbonate.

A piece of dolomite is heated strongly in air.

Which word equation correctly describes the reaction that takes place?

- A magnesium carbonate + water → magnesium hydroxide + carbon dioxide
- B magnesium carbonate + oxygen → magnesium oxide + carbon dioxide + water
- **C** magnesium carbonate + oxygen → magnesium oxide + water
- **D** magnesium carbonate → magnesium oxide + carbon dioxide
- **36** Which two compounds have molecules in which there is a double bond?
 - A ethane and ethanoic acid
 - **B** ethane and ethanol
 - C ethene and ethanoic acid
 - **D** ethene and ethanol
- 37 Which substance is found in crude oil?
 - **A** bitumen
 - **B** ethanol
 - C ethanoic acid
 - **D** poly(ethene)

38 Which statement about a family of organic compounds describes an homologous series?

All compounds in the family have the same

- **A** functional group.
- B physical properties.
- C relative molecular mass.
- **D** structural formula.
- **39** Which column describes ethane and which column describes ethene?

	hydrocarbon					
	1	2	3	4		
state at room temperature	gas	gas	liquid	liquid		
reaction with oxygen	burns	burns	burns	burns		
reaction with aqueous bromine	no reaction	decolourises bromine	no reaction	decolourises bromine		

- A 1 (ethane) and 2 (ethene)
- **B** 1 (ethane) and 3 (ethene)
- C 2 (ethene) and 3 (ethane)
- D 3 (ethane) and 4 (ethene)
- **40** Which of the products C₁₂H₂₄ and H₂ could be formed by cracking dodecane, C₁₂H₂₆?

	C ₁₂ H ₂₄	H ₂
Α	X	X
В	X	✓
С	✓	X
D	✓	✓

BLANK PAGE

DATA SHEET
The Periodic Table of the Elements

-	:							Gre	Group				2		5		
_	=											=	≥	>	>	=	0
							- I										4 T
		ſ					Hydrogen 1										Helium 2
7	6											1	12	14	16	19	20
=	Be											Δ	ပ	z	0	ш	Ne
Lithium 3	Beryllium 4											Boron 5	Carbon 6	Nitrogen 7	Oxygen 8	Fluorine 9	Neon 10
23	24											27	28	31	32	35.5	40
Na	Mg											Αl	Si	۵	တ	CI	Αľ
Sodium 11	Magnesium 12											۶	Silicon 14	Phosphorus 15	Sulphur 16	17	Argon 18
39	40	45	48	51	52	55	56	59	59	64	65		73	75	79		84
×	_	Sc	F	>	స	Mn	Ъ	ပိ	Z	ರ	Zn		Ge	As	Se	Ā	ゞ
Potassium 19	20	Scandium 21	Titanium 22	Vanadium 23	Chromium 24	Manganese 25	Iron 26	Cobalt 27	Nickel 28	29	Zinc 30	Gallium 31	Germanium 32	Arsenic 33	Selenium 34	ಹ	Krypton 36
85		68	91	63	96		101	103	106		112		119	122	128		131
Rb	ร	>	Zr	S S	Mo		Ru	R	Pd	Ag	ပ္ပ	In	Sn	Sb	<u>le</u>	Н	Xe
Rubidium 37	Strontium 38	Yttrium 39	Zirconium 40	Niobium 41	Molybdenum 42	Technetium 43	Ruthenium 44	Rhodium 45	Palladium 46	47	Cadmium 48	Indium 49		Antimony 51	Tellurium 52	53	Xenon 54
133	137	139	178	181	184	186	190	192	195		201	204	207	607			
S	Ва	Гa	Ξ	Тa	>	Re	Os	'n	£	Αn	Hg	11	Ър	Ξ	Ъ	Αt	Rn
Caesium 55	Barium 56	Lanthanum 57 *	Hafnium 72	Tantalum 73	Tungsten 74	Rhenium 75	Osmium 76	Iridium 77	Platinum 78	Gold 79	Mercury 80	Thallium 81	Lead 82	Bismuth 83		Astatine 85	Radon 86
	226	227															
ŗ	Ra	Ac															
Francium 87	Radium 88	Actinium 89															
*58-71	*58-71 Lanthanoid ceries	oprioo		140	141	144		150	152	157	159	162	165	167	169	173	175
00-7-00	Aptinoid o	Selles Orion		ပီ	ቯ	Š	Pm	Sm	Ш	В	Д	۵	운	ш	Ę	Υb	Ľ
SOI-08	90-103 Actinoid series	eries		Cerium	Praseodymium	Neodymium	Promethium	Samarium	Europium	Gadolinium	Terbium	Dysprosium	Holminm	Erbium	Thulium	Ytterbium	Lutetium

68	oiros bio	id selicis		58	a = relative atomic mass	X = atomic symbol	b = proton (atomic) number
	140	ဗ	Cerium		232	드	Thorium
	141	ቯ	Praseodymium	59		Ра	Protactinium 91
	144	Nd	Neodymium	09	238	-	Uranium 92
		Pm	Promethium	61			Neptunium 93
	150	Sm	Samarium	62		Pu	Plutonium 94
	152	Eu	Europium	63		Am	Americium 95
		gq		9		Cm	Curium 96
	159	Д	Terbium	65			Berkelium 97
	162	۵	Dysprosium	99		ర	Californium 98
	165	웃	Holmium	29		Es	0,
		ш		89		Fm	Fermium 100
	169	Т	Thulium	69			Mendelevium 101
		Υb				S	Nobelium 102
		Γn				۲	Lawrencium 103

×

Key

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).